

Area 3 North Central- North/NorthEast  
Tab 7 – Intervention Selection Form

Subpopulation: MMS W

Ranking: 12

Name of Intervention	Popular Opinion Leader (POL) FS-17
Risk Behavior(s)	Unprotected anal sex
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> <li>• Low perceived susceptibility</li> <li>• Poor social support</li> <li>• Group Norms</li> </ul>
Intended Immediate Outcomes	Increase risk perception Increase intent to use condoms
Type	CLI
Setting	Gay bars
Is this intervention currently being provided in your planning area?	no
Rationale for Selecting this Intervention:	Utilizes member of the community or location to serve peer educators to others. May be used in multiple settings including public sex environments (PSEs).

### Tab 7 – Intervention Selection Form

Subpopulation: MMS W

Ranking: 12

Name of Intervention	Condom Skills Education and Sexually Transmitted Disease Reinfection, C-7
Risk Behavior(s)	Unprotected anal sex
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> <li>• Poor condom use</li> <li>• Low perceived susceptibility</li> <li>• Poor attitudes toward condom use</li> <li>• Partner refusal to use condoms</li> </ul>
Intended Immediate Outcomes	Increase risk perception Increase knowledge of proper condom use
Type	GLI
Setting	STD clinic waiting rooms
Is this intervention currently being provided in your planning area?	no
Rationale for Selecting this Intervention:	Although this intervention is targeting heterosexual, if the setting is change it may be transferable to MSM. Condom use and attitudes are not addressed by any of the MSM interventions.

### Tab 7 – Intervention Selection Form

Subpopulation: MMS W

Ranking: 12

Name of Intervention	AIDS Community Demonstration Projects C-2, FS-7
Risk Behavior(s)	Unprotected sex Multiple partners
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> <li>• Low perceived susceptibility</li> <li>• Poor social support</li> </ul>
Intended Immediate Outcomes	Increase risk perception Increase access to testing
Type	CLI
Setting	Varies
Is this intervention currently being provided in your planning area?	no
Rationale for Selecting this Intervention:	This intervention is conducted predominately in an outreach setting, increasing access to services to those underserved.

Tab 7 – Intervention Selection Form

Subpopulation: MMS W

Ranking: 12

Name of Intervention	Outreach HIV and STD Testing
Risk Behavior(s)	Unprotected sex Multiple partners
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> <li>• Lack of access to current services</li> <li>• Do not know where services are located</li> <li>• Low perceived susceptibility</li> </ul>
Intended Immediate Outcomes	Increase access to testing Increase knowledge of HIV serostatus and/or STD infection status Develop a risk-reduction plan Increase access to needed diagnosis and treatment services
Type	Other
Setting	Non-traditional test sites
Is this intervention currently being provided in your planning area?	yes
Rationale for Selecting this Intervention:	Many of the men in the sample reported limited access to services, including testing.